

# ADVANCED DIAGNOSTICS


Unlocking Technology

## Chrysler - Jeep Dodge - Plymouth (Version 3.3)



**DODGE**

**Jeep.**



World Leaders In Automotive Key Programming Equipment

[www.advanced-diagnostics.com](http://www.advanced-diagnostics.com)



	<b>PAGE</b>
<b>A</b> APPLICATIONS	3
<b>B</b> DIAGNOSTIC SOCKETS/OBD PORTS CHRYSLER / JEEP / DODGE	4 - 5
<b>C</b> GENERAL OPERATION	6
<b>D</b> SPECIAL FUNCTIONS	7 - 35
<b>E</b> TIPS & HINTS	36
<b>F</b> REMOTE CONTROL PROGRAMMING	37



# InfoQuest

## Vehicle Data Search

WWW.ADUSA.US

Applications are continually updated as vehicles are constantly added.

To ensure you have the very latest information,  
the applications list is available via Info Quest - an online portal  
containing vehicle technical data for key & remote programming  
for all manufacturers.

To view the latest vehicle applications please visit

Info Quest at

<http://iq.advanced-diagnostics.co.uk/>


### Chrysler - Jeep - Dodge - Plymouth Software

ADS113	Chrysler - Jeep - Dodge - Plymouth
ADS156	Chrysler FOBIK CAN
ADS157	Chrysler Skim PINCODE Read
ADS178	Chrysler FOBIK PROX
ADS195	Dodge FOBIK PROX


# DIAGNOSTIC SOCKETS/PORTS

# B

## CHRYSLER/JEEP/DODGE



CHEROKEE




NEON



PT CRUISER



VOYAGER




SEBRING




CROSSFIRE




300C



NITRO



CALIBER



PATRIOT



SEBRING (JS)



GRAND VOYAGER  
(5th GENERATION)

# DIAGNOSTIC SOCKETS/PORTS

# B

## CHRYSLER/JEEP/DODGE



INTREPID

WWW.ADVANCED-DIAGNOSTICS.CO.UK

WWW.ADUSA.US

WWW.ADVANCED-DIAGNOSTICS.CO.UK

WWW.ADUSA.US

# GENERAL OPERATION

## **IMPORTANT**

There are some models that may use 2 different systems in the same model year. In many cases it is not possible to tell which system the vehicle you are working on may use until you hook up your T-Code and try each system.

You must switch adapters when trying a different System Type. If you try "Type 1" and the tester fails to communicate, then switch adapters and try "Type 2".

Remember to use the same adapter as the System "Type" you are selecting with the tester.

NOTE : The Immobiliser receiver does need reprogramming if replaced.

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—TYPE 1/2

### ERASE KEYS

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

**+ IMMOBILISER**  
+ REMOTE

#### VEHICLE SELECTION

SEBRING 2DR HTP  
**TYPE 1**  
TYPE 2  
PACIFICA  
CHRYSLER CAN 1  
CHRYSLER CAN 2

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

CHRYSLER 94-98

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
FAULT CODES  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

**> CLEAR KEYS**  
PROGRAM KEYS  
SKIM PROGRAMMING

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

CLEAR KEYS  
PROCEDURE COMPLETE

PRESS ENTER KEY

NOTE : IF YOU HAVE CLEARED KEYS IT WILL BE NECESSARY TO PROGRAM IN ANY KEYS THAT YOU WANT TO OPERATE.

SEE PROGRAMMING KEYS FOR INFORMATION ON PROGRAMMING EXISTING AND NEW KEYS.

### PROGRAM KEYS

#### DIAGNOSTIC MENU

CLEAR KEYS  
**> PROGRAM KEYS**  
SKIM PROGRAMMING

PRESS ENTER KEY

#### PROGRAMMING KEYS

SWITCH IGNITION ON  
WITH NEW KEY

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

#### PROGRAMMING KEYS

KEY PROGRAMMED  
  
ENTER—PROG MORE KEYS  
BACK—EXIT ROUTINE

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—PACIFICA

### ERASE KEYS

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

**+ IMMOBILISER**  
+ REMOTE

#### VEHICLE SELECTION

SEBRING 2DR HTP  
TYPE 1  
TYPE 2  
**PACIFICA**  
CHRYSLER CAN 1  
CHRYSLER CAN 2

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

PACIFICA / CARAVAN

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
FAULT CODES  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

**> CLEAR KEYS**  
PROGRAM KEYS

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

CLEAR KEYS  
PROCEDURE COMPLETE

PRESS ENTER KEY

### PROGRAM KEYS

#### DIAGNOSTIC MENU

CLEAR KEYS  
**> PROGRAM KEYS**  
SKIM PROGRAMMING

PRESS ENTER KEY

#### PROGRAMMING KEYS

SWITCH IGNITION ON  
WITH NEW KEY

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

#### PROGRAMMING KEYS

KEY PROGRAMMED  
  
ENTER—PROG MORE KEYS  
BACK—EXIT ROUTINE

NOTE : IF YOU HAVE CLEARED KEYS IT WILL BE NECESSARY TO PROGRAM IN ANY KEYS THAT YOU WANT TO OPERATE.

SEE PROGRAMMING KEYS FOR INFORMATION ON PROGRAMMING EXISTING AND NEW KEYS.

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—CAN 1

### ERASE KEYS

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

**+ IMMOBILISER**  
+ REMOTE  
+ SKIM READ

#### VEHICLE SELECTION

SEBRING 2DR HTP  
TYPE 1  
TYPE 2  
PACIFICA  
**CHRYSLER CAN 1**  
CHRYSLER CAN 2

SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

CHRYSLER CAN

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
FAULT CODES  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

RE-PROGRAM KEYS  
PROGRAM NEW KEYS  
**> ERASE KEYS**  
PROGRAM REMOTE

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

ERASE KEYS

PROCEDURE COMPLETE

PRESS ENTER KEY

### PROGRAM NEW KEYS

#### DIAGNOSTIC MENU

RE-PROGRAM KEYS  
**> PROGRAM NEW KEYS**  
ERASE KEYS  
PROGRAM REMOTE

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

PROGRAMMING KEYS

PROCEDURE COMPLETE

PRESS ENTER KEY

NOTE : IF YOU HAVE CLEARED KEYS IT WILL BE NECESSARY TO PROGRAM IN ANY KEYS THAT YOU WANT TO OPERATE.

SEE PROGRAMMING KEYS FOR INFORMATION ON PROGRAMMING EXISTING AND NEW KEYS.

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—CAN 2,3,4 & 5

### ERASE KEYS

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

**+ IMMOBILISER**  
+ REMOTE  
+ SKIM READ

#### VEHICLE SELECTION

SEBRING 2DR HTP  
TYPE 1  
TYPE 2  
PACIFICA  
CHRYSLER CAN 1  
**CHRYSLER CAN 2**

SWITCH IGNITION ON

PRESS ENTER KEY

PLEASE WAIT  
GAINING ACCESS

CAN 2 Systems can take up  
To 4 mins to gain access

#### ECU IDENTIFICATION

CHRYSLER CAN

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
FAULT CODES  
LIVE DATA  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

PROGRAM KEYS  
**> CLEAR KEYS**

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

ERASE KEYS  
SUCCESS

PRESS ENTER KEY

### PROGRAM NEW KEYS

#### DIAGNOSTIC MENU

**> PROGRAM KEYS**  
CLEAR KEYS

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

PROGRAM KEYS  
SUCCESS

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—FOBIK CAN

### ERASE KEYS

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

**+ IMMOBILISER**  
+ REMOTE  
+ SKIM READ

#### VEHICLE SELECTION

SEBRING 2DR HTP  
TYPE 1  
TYPE 2  
**FOBIK CAN**  
PACIFICA  
CHRYSLER CAN 1

SWITCH IGNITION ON

PRESS ENTER KEY

PLEASE WAIT  
GAINING ACCESS

CAN Systems can take up  
To 4 mins to gain access

#### ECU IDENTIFICATION

CHRYSLER FOBIK

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
FAULT CODES  
LIVE DATA  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

PROGRAM KEYS  
**> CLEAR KEYS**

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

ERASE KEYS

SUCCESS

PRESS ENTER KEY

### PROGRAM NEW KEYS

#### DIAGNOSTIC MENU

**> PROGRAM KEYS**  
CLEAR KEYS

PRESS ENTER KEY

#### SECURITY CODE

1234

IS THIS CORRECT?

YES=ENTER

NO=BACK

PROGRAM KEYS

SUCCESS

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## ERASE FOBIK for 'KEYLESS GO'

### ERASE KEYS

#### VEHICLE SELECTION

- + AUDI
- + BMW
- + CADILLAC
- + CHEVROLET
- + CHRYSLER
- + DAEWOO USA

#### VEHICLE SELECTION

- + IMMOBILISER
- + REMOTE
- + SKIM READING

#### VEHICLE SELECTION

##### FOBIK CAN

- PACIFICA
- SEBRING 2DR HTP
- TYPE 1
- TYPE 2
- TYPE 3 TEST

#### VEHICLE SELECTION

- ORIGINAL
- TYPE A
- TYPE B

SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

VIN: 1D3HV18P79S803764  
 PART No. 05026364AK  
 SW VER.: 10.30.02  
 COUNTRY CODE: 2-USA

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
 >SPECIAL FUNCTIONS

PRESS ENTER KEY

#### DIAGNOSTIC MENU

PROGRAM KEYS  
 >ERASE KEYS  
 KEYS PROGRAMMED

PRESS ENTER KEY

#### SECURITY CODE

4477  
 (This is just an example)

YES=ENTER NO=BACK

#### KEYS PROGRAMMED

KEYS PROGRAMMED: 0  
 (All keys have been erased -  
 Now go to "Program keys")

PRESS ENTER KEY

### PROGRAM NEW KEYS

#### DIAGNOSTIC MENU

>PROGRAM KEYS  
 ERASE KEYS  
 KEYS PROGRAMMED

PRESS ENTER KEY

ENTER THE PIN CODE AGAIN TO  
 PROGRAM THE FOBIK REMOTES TO  
 THE VEHICLE

#### KEYS PROGRAMMED

KEYS PROGRAMMED: 1

(Now program any additional Fobik's)

HIT THE BACK BUTTON TWICE TO  
 BRING YOU BACK TO THE MAIN  
 CHRYSLER MENU

NOW TO ACTIVATE THE KEYLESS  
 GO PROXIMITY, SELECT  
 PROXIMITY FROM THE CHRYSLER  
 IMMOBILIZER MENU.

#### VEHICLE SELECTION

- + IMMOBILISER
- + REMOTE
- + SKIM READING

#### VEHICLE SELECTION

- + BY VEHICLE
- + BY SYSTEM

# SPECIAL FUNCTIONS

## PROGRAM FOBIK for 'KEYLESS

### VEHICLE SELECTION

FOBIK CAN  
 PACIFICA  
 SEBRING 2DR HTP  
 TYPE 1  
 TYPE 2  
 PROXIMITY

### MATCH KEYLESS GO

PROCEDURE COMPLETE

PRESS ENTER KEY

### VEHICLE SELECTION

+ FOBIK KEYLESS GO  
 2011 GEN4 (RFH)

SWITCH IGNITION ON

PRESS ENTER KEY

### DIAGNOSTIC MENU

ECU IDENTIFICATION  
 >SPECIAL FUNCTIONS

PRESS ENTER KEY

### DIAGNOSTIC MENU

>MATCH KEYLESS GO

YOU MAY BE REQUIRED TO ENTER  
 THE PIN CODE AGAIN.

# SPECIAL FUNCTIONS

## ADD FOBIK for "KEYLESS GO"

### ADD KEYS

#### VEHICLE SELECTION

+ AUDI  
+ BMW  
+ CADILLAC  
+ CHEVROLET  
**+ CHRYSLER**  
+ DAEWOO USA

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**>SPECIAL FUNCTIONS**

PRESS ENTER KEY

SWITCH IGNITION ON

PRESS ENTER KEY

#### VEHICLE SELECTION

**+ IMMOBILISER**  
+ REMOTE  
+ SKIM READING

#### DIAGNOSTIC MENU

**>PROGRAM KEYS**  
ERASE KEYS  
KEYS PROGRAMMED

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**>SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### VEHICLE SELECTION

**+ FOBIK CAN**  
PACIFICA  
SEBRING 2DR HTP  
TYPE 1  
TYPE 2  
TYPE 3 TEST

#### SECURITY CODE

4477  
(This is just an example)

YES=ENTER NO=BACK

#### DIAGNOSTIC MENU

**>MATCH KEYLESS GO**

YOU MAY BE REQUIRED TO ENTER  
THE PIN CODE AGAIN.

#### VEHICLE SELECTION

ORIGINAL  
TYPE A  
**TYPE B**

#### KEYS PROGRAMMED

KEYS PROGRAMMED: 3  
(Now program any additional Fobik's)

PRESS ENTER KEY

#### MATCH KEYLESS GO

PROCEDURE COMPLETE

PRESS ENTER KEY

SWITCH IGNITION ON

PRESS ENTER KEY

HIT THE BACK BUTTON TWICE TO  
BRING YOU BACK TO THE MAIN  
CHRYSLER MENU.

NOW TO ACTIVATE THE KEYLESS  
GO PROXIMITY, SELECT PROXIMI-  
TY FROM THE CHRYSLER IMMOBI-  
LISER MENU.

#### ECU IDENTIFICATION

VIN: 1D3HV18P79S803764  
PART No. 05026364AK  
SW VER.: 10.30.02  
COUNTRY CODE: 2-USA

PRESS ENTER KEY

#### VEHICLE SELECTION

**+ FOBIK KEYLESS GO**  
2011 GEN4 (RFH)

# SPECIAL FUNCTIONS

## ERASE PROX for "GEN 4"

### ERASE KEYS

#### VEHICLE SELECTION

- + AUDI
- + BMW
- + CADILLAC
- + CHEVROLET
- + CHRYSLER
- + DAEWOO USA

#### VEHICLE SELECTION

- + IMMOBILISER
- + REMOTE
- + SKIM READ

#### VEHICLE SELECTION

- CHRYSLER CAN 3
- CHRYSLER CAN 4
- CHRYSLER CAN 5
- TOWN & COUNTRY VAN
- >PROXIMITY

#### VEHICLE SELECTION

- FOBIK KEYLESS GO
- 2011 GEN4 (RFH)

HAZARDS ON/ IGNITION OFF

PRESS ENTER KEY

TURN ON THE EMERGENCY HAZARDS

#### ECU IDENTIFICATION

VIN: 1D3HV18P79S803764  
PART No. 05026364AK

PRESS ENTER KEY

#### DIAGNOSTIC MENU

- ECU IDENTIFICATION
- FAULT CODES
- >SPECIAL FUNCTIONS

PRESS ENTER KEY

#### DIAGNOSTIC MENU

- PROGRAM PROX
- >ERASE PROX
- PROX PROGRAMMED

#### ERASE PROX

ARE YOU SURE

NO=BACK

YES=ENTER

YOU WILL BE REQUIRED TO ENTER THE PIN CODE. THE PIN CODE CANNOT BE READ FROM THE CAR. YOU MUST GET IT FROM THE DEALER

#### SECURITY CODE

4477  
(This is just an example)

YES=ENTER

NO=BACK

#### ERASE PROX

PROX PROGRAMMED: 0

(All Prox have been erased - now go to "Program Prox")

### PROGRAM NEW KEYS

#### DIAGNOSTIC MENU

- >PROGRAM PROX
- ERASE PROX
- PROX PROGRAMMED

#### PROGRAM PROX

MAKE SURE ALL WIRELESS DEVICES FOR EXAMPLE LAP TOPS CELL PHONES ARE NOT CLOSE TO THE PROX BEING PROGRAMMED

PRESS ENTER KEY

YOU MAY BE REQUIRED TO ENTER THE PIN CODE AGAIN.

#### WARNING

FOLLOW NEXT SCREENS CAREFULLY

COMPLETE OPERATION WITHIN 60 sec. AFTER PRESSING ENTER

#### PROGRAM PROX.

HOLD PROX NEAR CENTRE CONSOLE

PRESS AND RELEASE THE UNLOCK BUTTON TWICE ON THE PROX REMOTE

#### PROGRAM PROX

KEYS PROGRAMMED: 1  
(Now program any additional Fobiks)

# SPECIAL FUNCTIONS

## ADD PROX for "GEN 4"

### ADD KEYS

#### VEHICLE SELECTION

- + AUDI
- + BMW
- + CADILLAC
- + CHEVROLET
- + CHRYSLER
- + DAEWOO USA

#### ECU IDENTIFICATION

VIN: 1D3HV18P79S803764  
PART No. 05026364AK

PRESS ENTER KEY

#### WARNING

FOLLOW NEXT SCREENS  
CAREFULLY

COMPLETE OPERATION  
WITHIN 60 sec.  
AFTER PRESSING ENTER

#### VEHICLE SELECTION

- + IMMOBILISER
- + REMOTE
- + SKIM READ

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
FAULT CODES  
>SPECIAL FUNCTIONS

PRESS ENTER KEY

#### PROGRAM PROX.

HOLD PROX NEAR  
CENTRE CONSOLE

PRESS AND RELEASE  
THE UNLOCK BUTTON TWICE  
ON THE PROX REMOTE

#### VEHICLE SELECTION

- CHRYSLER CAN 3
- CHRYSLER CAN 4
- CHRYSLER CAN 5
- TOWN & COUNTRY VAN
- >PROXIMITY

#### DIAGNOSTIC MENU

>PROGRAM PROX  
ERASE PROX  
PROX PROGRAMMED

#### PROGRAM PROX

PROX PROGRAMMED: 3  
(Now program any additional Fobiks)

PRESS ENTER KEY

#### VEHICLE SELECTION

- FBIK KEYLESS GO
- 2011 GEN4 (RFH)

YOU WILL BE REQUIRED TO ENTER  
THE PIN CODE. THE PIN CODE  
CANNOT BE READ FROM THE CAR.  
YOU MUST GET IT FROM THE  
DEALER

HAZARDS ON/ IGNITION OFF

PRESS ENTER KEY

#### SECURITY CODE

4477

(This is just an example)

YES=ENTER

NO=BACK

TURN ON THE EMERGENCY FLASHERS

#### PROGRAM PROX

MAKE SURE ALL WIRELESS  
DEVICES FOR EXAMPLE  
LAP TOPS CELL PHONES  
ARE NOT CLOSE TO THE PROX  
BEING PROGRAMMED

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—SKIM READ TYPE 2

### PIN READ

#### VEHICLE SELECTION

- + ALFA
- + BMW
- + CHRYSLER
- + CITROEN
- + DAEWOO
- + INFINITI

#### DIAGNOSTIC MENU

- ECU IDENTIFICATION
- FAULT CODES
- > SPECIAL FUNCTIONS

#### READ PINCODE

PLEASE HAVE ALL UNPROGRAMMED KEYS CUT  
 PROCEED?  
 YES=ENTER NO=BACK

#### VEHICLE SELECTION

- + IMMOBILISER
- + REMOTE
- + SKIM READ

#### DIAGNOSTIC MENU

- PIN FUNCTIONS
- VIN NUMBER
- MATCHING FUNCTIONS
- ANTI THEFT LOCKOUT
- VIRGINIZE SKIM

#### READ PINCODE

VEHICLE ID SUPPORTED

#### VEHICLE SELECTION

- SKIM READ VPW
- SKIM READ CAN2/3
- SKIM READ 1/4/5
- SKIM READ FOBK

#### PIN FUNCTIONS

- READ PINCODE
- CHANGE PIN COE

#### READ PINCODE

REMOVE KEY FROM IGN  
 IGNITION ON WITH A BRASS KEY  
 PRESS ENTER KEY

#### SWITCH IGNITION ON

PRESS ENTER KEY

NOTE : MVP AND MVP PRO USERS WILL NEED TO ENTER A RESPONSE CODE.

THIS CAN BE OBTAINED BEFORE YOU GET TO THE VEHICLE FROM THE AD WEB SITE.

REMOVE THE BRASS NON TRANSPONDER KEY FROM THE IGNITION AND WAIT FOR A COUPLE OF SECONDS, THEN INSERT IT AGAIN AND TURN TO THE RUN POSITION.

THEN PRESS ENTER

Chrysler Skim Code

NOTE : This is only required for TYPE 2 SKIM Pin code reading, and using this for other vehicles or testing this page with false VIN numbers that are not TYPE 2 will result in your account being disabled.

AD Forum Username:   
 AD Forum Password:   
 Tester Serial Number:   
 Tester Passcode:   
 Last 6 digits of VIN:

#### READ PINCODE

PLEASE WAIT  
 .....  
 (This could take a minute or more)

NOTE : MAKE SURE YOU HAVE A NON-TRANSPONDER BRASS KEY IN THE IGNITION AND IN THE RUN POSITION.

THEN PRESS ENTER

#### ECU IDENTIFICATION

SKIM READ VPW

PRESS ENTER KEY

#### RESPONSE CODE

-----  
 IS THIS CORRECT?

OK=ENTER

CLEAR=BACK

#### READ PINCODE

IGNITION ON WITH AN UNPROGRAMMED KEY

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—SKIM READ TYPE 2

### PIN READ

REMOVE THE BRASS KEY FROM THE IGNITION AND WAIT A COUPLE OF SECONDS AND THEN INSERT THE UNPROGRAMMED TRANSPONDER KEY AND TURN IT TO THE RUN POSITION.

THEN PRESS ENTER

### READ PINCODE

PLEASE WAIT

(This could take a minute or more)

### READ PINCODE

SKIM CODE 1234

(This is an example)

PRESS ENTER KEY

IF YOU GET THE FOLLOWING ERROR, MAKE SURE YOU HAVE A NON TRANSPONDER KEY IN THE IGNITION AND THE KEY IS IN THE RUN POSITION.

IF YOU DO THEN REPEAT THE PROCESS AGAIN.

### READ PINCODE

NO BRASS KEY DETECT

PRESS ENTER KEY

### SKIM REPLACED

#### DIAGNOSTIC MENU

PIN FUNCTIONS

VIN NUMBER

#### > MATCHING FUNCTIONS

ANTI THEFT LOCKOUT

VIRGINIZE SKIM

### PIN FUNCTIONS

#### > NEW SKIM TO PCM

NW PCM TO SKIM

### SKIM PROGRAMMING

#### TO PROGRAM SKIM

ENTER VEHICLE

SECURITY CODE,

REGION AND VIN.

PRESS ENTER KEY

### SECURITY CODE

----

NOTE : YOU MUST KNOW THE PIN CODE FOR THE VEHICLE, OTHERWISE THE SKIM CANNOT BE PROGRAMMED.

### MARKET OPTIONS

#### > USA

NON USA

### SKIM PROGRAMMING

SECURITY CODE : 1234

MARKET OPTIONS : US

VIN : 1B3XL12W12N123456

ARE YOU SURE

YES=ENTER

NO=BACK

### SKIM PROGRAMMING

#### SUCCESS

NEW SKIM ADDED

PRESS ENTER KEY

### SKIM PROGRAMMING

#### CYCLE KEYS TO PROGRAM

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## CHRYSLER/JEEP—SKIM READ TYPE 2

### VIN READ

#### DIAGNOSTIC MENU

PIN FUNCTIONS  
**> VIN NUMBER**  
 MATCHING FUNCTIONS  
 ANTI THEFT LOCKOUT  
 VIRGINIZE SKIM

#### STORED SKIM VIN

**1B3XL12W12N123456**

(Programmed Skim)

PRESS ENTER KEY

IF YOU GET THE FOLLOWING SCREEN THEN THIS SHOWS THAT THE SKIM MODULE IS VIRGINISED OR NEW.

#### STORED SKIM VIN

yyyyyyyyyyyyyyyyyyyy

(Un Programmed Skim)

PRESS ENTER KEY

### CHANGE SKIM PIN

#### DIAGNOSTIC MENU

**> PIN FUNCTIONS**  
 VIN NUMBER  
 MATCHING FUNCTIONS  
 ANTI THEFT LOCKOUT  
 VIRGINIZE SKIM

#### PIN FUNCTIONS

READ PINCODE  
**> CHANGE PINCODE**

#### SECURITY CODE

---

NOTE : YOU MUST KNOW THE PIN CODE FOR THE VEHICLE, OTHERWISE THE SKIM CANNOT BE PROGRAMMED.

#### NEW PIN

---

#### CHANGE PIN

**SUCCESS**

PRESS ENTER KEY

### SKIM LOCK OUT

#### DIAGNOSTIC MENU

PIN FUNCTIONS  
 VIN NUMBER  
 MATCHING FUNCTIONS  
**> ANTI THEFT LOCKOUT**  
 VIRGINIZE SKIM

#### LOCK OUT TIMER RESET

PLEASE HAVE ALL UNPROGRAMMED KEYS CUT  
 PROCEED ?

YES=ENTER

NO=BACK

#### LOCKOUT TIMER RESET

**REMOVE KEY FROM IGN**  
 IGNITION ON  
 WITH BRASS KEY

PRESS ENTER KEY

#### LOCK OUT TIMER RESET

PLEASE WAIT  
 .....

(this could take a minute or more)

#### LOCKOUT TIMER RESET

**IGNITION ON**  
 WITH AN UNPROGRAMMED KEY

PRESS ENTER KEY

#### LOCK OUT TIMER RESET

PLEASE WAIT  
 .....

(this could take a minute or more)

## SPECIAL FUNCTIONS

### CHRYSLER/JEEP—SKIM READ CAN 2,3,4 & 5

#### SKIM LOCK OUT

##### LOCK OUT TIMER RESET

SUCCESS  
.....

#### PIN READ

##### VEHICLE SELECTION

- + IMMOBILISER 5
- + REMOTE
- + SKIM READ

##### READ PINCODE

PLEASE WAIT  
.....

##### VEHICLE SELECTION

- SKIM READ VPW
- SKIM READ CAN2/3
- SKIM READ 1/4/5
- SKIM READ FOBK

##### READ PINCODE

PIN CODE : 1234

PRESS ENTER KEY

SWITCH IGNITION ON

PRESS ENTER KEY

##### ECU IDENTIFICATION

WCM SKIM READ

PRESS ENTER KEY

##### DIAGNOSTIC MENU

- ECU IDENTIFICATION
- > SPECIAL FUNCTIONS

PRESS ENTER KEY

##### PIN FUNCTIONS

READ PINCODE

# SPECIAL FUNCTIONS

## PIN READ for FOBIK "KEYLESS GO"

### PIN READ

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

SWITCH IGNITION ON

PRESS ENTER KEY

#### VEHICLE SELECTION

+ IMMOBILISER  
+ REMOTE  
**+ SKIM READING**

#### ECU IDENTIFICATION

VIN: 1D3HV18P79S803764  
PART No. 05026364AK  
S/W VER.: 10.30.02  
COUNTRY CODE: 2-USA

PRESS ENTER KEY

#### VEHICLE SELECTION

SKIM READ VPW  
SKIM READ CAN 2/3  
SKIM READ CAN 1/4/5  
**SKIM READ FOBIK**

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**>SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### VEHICLE SELECTION

ORIGINAL  
TYPE A  
**TYPE B**

#### DIAGNOSTIC MENU

**>READ PINCODE**

PRESS ENTER KEY

#### READ PINCODE

PINCODE: 4477

PRESS ENTER KEY

NOW THAT YOU HAVE THE PIN CODE YOU CAN PROGRAM THE FOBIK REMOTE (S). STAY CONNECTED AND HIT ENTER AND THEN USE THE BACK BUTTON TO GET YOU BACK TO THE MAIN MENU TO SELECT CHRYSLER -> IMMOBILISER.

# SPECIAL FUNCTIONS

## Dodge Dart 2013 Key Programming FOBIK

### PROGRAM KEYS

**PLEASE NOTE:  
REMOTES ARE PROGRAMMED  
AUTOMATICALLY AT THE SAME  
TIME AS KEY PROGRAMMING**

#### VEHICLE SELECTION

- + ALFA
- + BMW
- + CHRYSLER
- + CITROEN
- + DODGE**
- + INFINITI

#### VEHICLE SELECTION

- + IMMOBILISER**
- + REMOTE
- + SKIM READING

#### VEHICLE SELECTION

- + JOURNEY
- + DART**
- + MAGNUM

#### VEHICLE SELECTION

- FOBIK**
- PROX

HAZARDS ON IGNITION OFF

**PRESS ENTER KEY**

#### ECU IDENTIFICATION

VIN: 1D3HV18P79S803764  
PART No. 05026364AK

KEYS PROGRAMMED 1

**PRESS ENTER KEY**

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**>SPECIAL FUNCTIONS**

**PRESS ENTER KEY**

#### DIAGNOSTIC MENU

**PROGRAM KEYS**  
ERASE KEYS

**PRESS ENTER KEY**

INSERT KEY  
LEAVE IGNITION OFF

**PRESS ENTER KEY**

SECURITY CODE

5216



### PROGRAM KEYS

PLEASE WAIT  
.....

### PROGRAM KEYS

KEYS PROGRAMMED 2

**PRESS ENTER KEY**

TO PROGRAM ADDITIONAL KEYS  
REMOVE THE PREVIOUSLY  
PROGRAMMED KEY AND INSERT  
UNPROGRAMMED KEY AND REPEAT  
PROCEDURE

PROCEDURE COMPLETE

**PRESS ENTER KEY**

THE NEXT SCREEN WILL PROMPT  
YOU FOR THE 4 DIGIT PINCODE  
OR SECURITY CODE

# SPECIAL FUNCTIONS

## CHRYSLER REMOTE SYSTEMS

MODELS	YEARS	REMOTE SYSTEM TYPE	AD100 / MVP ADAPTOR
300M	1999-2000	6	ADC138
	2001-2004	6	ADC138
CIRRUS	1998-2000	10	ADC139
CONCORDE	1998-2000	6	ADC138
	2001-2004	6	ADC138
LHS	1999-2000	6	ADC138
	2001	6	ADC138
PT CRUISER	2001-2004	1	ADC138
SEBRING CONVERTIBLE	1998-2000	4	ADC139
	2001-2006	6	ADC138
SEBRING 4 DOOR	2001-2006	6	ADC138
TOWN & COUNTRY	1996 - 1998	9	ADC139
	1999-2000	9	ADC139
	2001-2003	3	ADC138

## JEEP REMOTE SYSTEMS

MODELS	YEARS	REMOTE SYSTEM TYPE	AD100 / MVP ADAPTOR
CHEROKEE	1998	11	ADC139
	1999-2001	11	ADC139
GRAND CHEROKEE	1999-2004	2	ADC138
LIBERTY	2002-2004	3	ADC138

# SPECIAL FUNCTIONS

## DODGE REMOTE SYSTEMS

MODELS	YEARS	REMOTE SYSTEM TYPE	AD100 / MVP ADAPTOR
CARAVAN	1996 - 1998	9	ADC139
	1999-2000	9	ADC139
	2001-2003	3	ADC138
DAKOTA	1998	5	ADC139
	1999-2000	5	ADC139
	2001-2004	7	ADC138
DURANGO	1998	5	ADC139
	1999-2000	5	ADC139
	2001-2003	7	ADC138
INTREPID	1999-2000	6	ADC138
	2001-2004	6	ADC138
NEON	2001-2006	1	ADC138
RAM PICK UP	1998	5	ADC139
	1999-2001	5	ADC139
	2002	5	ADC139
	2002	8	ADC138
	2003-2005	8	ADC138
STRATUS 4 DOOR	1998-2000	10	ADC139
	2001-2006	6	ADC138

## PLYMOUTH REMOTE SYSTEMS

MODELS	YEARS	REMOTE SYSTEM TYPE	AD100 / MVP ADAPTOR
BREEZE	1998-2000	10	ADC139
NEON	2000-2001	1	ADC138
VOYAGER	1996 - 2000	9	ADC139

# SPECIAL FUNCTIONS

## TYPE 1 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

**TYPE 1**  
TYPE 2  
TYPE 3  
TYPE 4  
TYPE 5

SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

NEON/PT CRUISER  
REMOTES TYPE 1

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
LIVE DATA  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

TEST REMOTE

#### PROGRAMMING REMOTES

PRESS REMOTES

BACK TO EXIT

#### NOTE :

1. A CHIME IS HEARD AS YOU ENTER AND LEAVE PROGRAMMING MODE.
2. A CHIME IS HEARD WHEN A REMOTE IS PROGRAMMED.
3. ALL REMOTES MUST BE PROGRAMMED AT THE SAME TIME.

#### PROGRAMMING REMOTES

PROCEDURE COMPLETE

PRESS ENTER KEY



2000-2004  
NEON



2001-2004  
PT CRUISER

# SPECIAL FUNCTIONS

## TYPE 2 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 1  
**TYPE 2**  
TYPE 3  
TYPE 4  
TYPE 5

SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

JEEP GRAND CHEROKEE  
REMOTES TYPE 2

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAMMING REMOTES

ENTER REMOTE NO



1999-2004  
JEEP  
GRAND CHEROKEE

#### NOTES :

1. THERE ARE 4 MEMORY POSITIONS FOR THE TYPE 2 SYSTEM.
2. ENTER THE REQUIRED NUMBER.
3. THIS WILL OVERWRITE ANY REMOTE ALREADY STORED.
4. YOU CAN PROGRAM A REMOTE INTO ALL 4 POSITIONS TO ERASE ANY EXISTING REMOTES.

#### NOTES 2:

1. TO PROGRAM THE REMOTE PRESS THE LOCK AND UNLOCK BUTTONS TOGETHER AND THEN QUICKLY PRESS THE UNLOCK BUTTON.

# SPECIAL FUNCTIONS

## TYPE 3 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 1  
TYPE 2  
**TYPE 3**  
TYPE 4  
TYPE 5

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

CARAVAN/LIBERTY  
REMOTES TYPE 3

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAMMING REMOTES

PRESS LOCK & UNLOCK  
TOGETHER FOR 1 SEC.  
WITHIN 3 SEC'S. PRESS  
EITHER KEY FOR 1 SEC.  
REPEAT FOR ALL FOBS  
**BACK TO EXIT**

#### NOTES :

1. TO PROGRAM THE REMOTE PRESS THE LOCK AND UNLOCK BUTTONS TOGETHER AND THEN QUICKLY PRESS THE UNLOCK BUTTON.
2. A CHIME IS HEARD AS THE REMOTE IS PROGRAMMED.
3. ALL REMOTES MUST BE PROGRAMMED AT THE SAME TIME.



2001-2003  
CARAVAN



2002-2004  
JEEP  
LIBERTY



2001-2003  
CARAVAN

# SPECIAL FUNCTIONS

## TYPE 4 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 1  
TYPE 2  
TYPE 3  
**TYPE 4**  
TYPE 5

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

**SEBRING CONVERTIBLE**  
REMOTES TYPE 4

PRESS ENTER KEY

#### NOTE :

1. LEAVE DRIVERS DOOR OPEN.
2. LOCK THE CAR USING THE POWER DOOR LOCK BUTTON ON THE DRIVERS DOOR.

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

**PROGRAM REMOTE**

#### PROGRAM REMOTE

DO YOU WANT TO  
ERASE REMOTES

1 = YES      2 = NO

#### PROGRAM REMOTE

HOLD LOCK BUTTON &  
DECKLID BUTTON  
TOGETHER FOR 10 SECONDS

#### NOTES :

1. DECKLID = BOOT OPEN BUTTON
2. IF THE LOCKS FAIL TO CYCLE AFTER 20 SECONDS, DISCONNECT AND START AGAIN FROM THE BEGINNING.
3. EACH REMOTE MUST BE PROGRAMMED SEPARATELY. START FROM THE BEGINNING FOR EACH REMOTE CONTROL.



1998-2000  
CHRYSLER  
SEBRING  
CONVERTIBLE

# SPECIAL FUNCTIONS

## TYPE 5 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
 + BMW  
**+ CHRYSLER**  
 + CITROEN  
 + DAEWOO  
 + INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 1  
 TYPE 2  
 TYPE 3  
 TYPE 4  
**TYPE 5**

SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

DAKOTA/DURANGO/RAM  
 CCD REMOTES TYPE 5

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

PROGRAM REMOTE  
 ERASE REMOTES

#### PROGRAM REMOTE

REMOTE 1 : 09A0A3E6  
 REMOTE 2 : FFFFFFFF  
 REMOTE 3 : FFFFFFFF  
 REMOTE 4 : FFFFFFFF  
 PRESS ENTER KEY

#### NOTE:

TYPE 5 REMOTES :  
 WHEN YOU ENTER PROGRAMMING  
 MODE A LIST OF CURRENT 4  
 MEMORY POSITIONS ARE  
 DISPLAYED. A POSITION THAT  
 CONTAINS ALL "FFFFFFF" MEANS  
 THE POSITION IS EMPTY..

#### PROGRAM REMOTE

PRESS REMOTE

PRESS ENTER KEY

#### NOTE:

TYPE 5 REMOTES :  
 1. PRESS THE LOCK AND UNLOCK  
 BUTTONS TOGETHER AND THEN  
 QUICKLY PRESS THE UNLOCK  
 BUTTON.  
 2. THE LOCKS WILL CYCLE WHEN  
 A REMOTE IS PROGRAMMED.

#### PROGRAM REMOTE

PROCEDURE COMPLETE

PRESS ENTER KEY

#### PROGRAM REMOTE

REMOTE 1 : 09A0A3E6  
 REMOTE 2 : 0456134FF  
 REMOTE 3 : FFFFFFFF  
 REMOTE 4 : FFFFFFFF  
 PRESS ENTER KEY



99-00  
 DODGE  
 DURANGO

99-00  
 DODGE  
 DAKOTA

99-00  
 DODGE  
 RAM PICK UP



1998 DODGE  
 DURANGO

1998 DODGE  
 DAKOTA

# SPECIAL FUNCTIONS

## TYPE 6 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 2  
TYPE 3  
TYPE 4  
TYPE 5  
**TYPE 6**

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

300M/CONCORDE  
INTREPID/LHS  
REMOTES—TYPE 6

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAMMING REMOTES

##### PRESS LOCK & UNLOCK

TOGETHER FOR 1 Sec.

WITHIN 3 Secs, PRESS  
EITHER KEY FOR 1 Sec.

REPEAT FOR ALL FOBS

BACK TO EXIT



1999-2004 CHRYSLER 300M  
1998-2004 CHRYSLER CONCORDE  
1999-2001 CHRYSLER LHS  
2001-2004 CHRYSLER SEBRING CONV  
2001-2004 CHRYSLER SEBRING 4 DOOR  
1999-2004 DODGE INTREPID  
2001-2004 DODGE STRATUS 4 DOOR

#### TO PROGRAM THE REMOTE :-

1. PRESS THE LOCK AND UNLOCK BUTTONS TOGETHER AND THEN QUICKLY PRESS THE UNLOCK BUTTON.
2. A CHIME IS HEARD WHEN YOU ENTER AND LEAVE PROGRAMMING.
3. A CHIME IS HEARD WHEN EACH REMOTE IS PROGRAMMED.
4. ALL REMOTES MUST BE PROGRAMMED AT THE SAME TIME.
5. PRESS THE BACK KEY TO EXIT THE MODE.

#### PROGRAM REMOTE

PROCEDURE COMPLETE

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## TYPE 7 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
 + BMW  
**+ CHRYSLER**  
 + CITROEN  
 + DAEWOO  
 + INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 6  
**TYPE 7**  
 TYPE 8  
 TYPE 9  
 TYPE 10

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

DAKOTA PICK UP  
 REMOTES TYPE 7

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAMMING REMOTES

ENTER REMOTE NO

#### NOTES :

1. THERE ARE 3 MEMORY POSITIONS FOR THE TYPE 7 SYSTEM.
2. ENTER THE REQUIRED NUMBER.
3. THIS WILL OVERWRITE ANY REMOTE ALREADY STORED.
4. YOU CAN PROGRAM A REMOTE INTO ALL 3 POSITIONS TO ERASE ANY EXISTING REMOTES.

#### NOTES 2:

1. TO PROGRAM THE REMOTE PRESS THE LOCK AND UNLOCK BUTTONS TOGETHER AND THEN QUICKLY PRESS THE UNLOCK BUTTON.

#### PROGRAM REMOTE

PRESS LOCK & UNLOCK  
 TOGETHER FOR 1 Sec.

WITHIN 3 Secs, PRESS  
 EITHER KEY FOR 1 Sec.

REPEAT FOR ALL FOBS  
 BACK TO EXIT

#### PROGRAM REMOTE

PROCEDURE COMPLETE

PRESS ENTER KEY



2001-2004 DODGE DAKOTA  
 2001-2003 DODGE DURANGO

# SPECIAL FUNCTIONS

## TYPE 8 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 6  
TYPE 7  
**TYPE 8**  
TYPE 9  
TYPE 10

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

RAM PICK UP  
REMOTES TYPE 8

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAMMING REMOTES

#### PRESS LOCK & UNLOCK

TOGETHER FOR 1 Sec.

WITHIN 3 Secs, PRESS  
EITHER KEY FOR 1 Sec.

REPEAT FOR ALL FOBS

BACK TO EXIT

#### TO PROGRAM THE REMOTE :-

1. PRESS THE LOCK AND UNLOCK BUTTONS TOGETHER AND THEN QUICKLY PRESS THE UNLOCK BUTTON.
2. A CHIME IS HEARD WHEN YOU ENTER AND LEAVE PROGRAMMING.
3. A CHIME IS HEARD WHEN EACH REMOTE IS PROGRAMMED.
4. ALL REMOTES MUST BE PROGRAMMED AT THE SAME TIME.
5. PRESS THE BACK KEY TO EXIT THE MODE.



2002-2005 DODGE RAM PICK UP

#### PROGRAM REMOTE

#### PROCEDURE COMPLETE

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## TYPE 9 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
+ BMW  
**+ CHRYSLER**  
+ CITROEN  
+ DAEWOO  
+ INFINITI

#### VEHICLE SELECTION

**+ IMMOBILISER**  
**+ REMOTE**

#### VEHICLE SELECTION

TYPE 6  
TYPE 7  
TYPE 8  
**TYPE 9**  
TYPE 10

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

**CARAVAN**  
CCD REMOTES TYPE 9

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
**> SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAM REMOTE

#### WARNING

ALL REMOTES WILL  
BE ERASED  
PRESS ENTER KEY

#### PROGRAMMING REMOTES

PRESS LOCK & UNLOCK  
TOGETHER FOR 1 Sec.  
WITHIN 3 Secs, PRESS  
EITHER KEY FOR 1 Sec.  
REPEAT FOR ALL FOBS  
BACK TO EXIT

#### TO PROGRAM THE REMOTE :-

1. PRESS THE LOCK AND UNLOCK BUTTONS TOGETHER AND THEN QUICKLY PRESS THE UNLOCK BUTTON.
2. A CHIME IS HEARD WHEN YOU ENTER AND LEAVE PROGRAMMING.
3. A CHIME IS HEARD WHEN EACH REMOTE IS PROGRAMMED.
4. ALL REMOTES MUST BE PROGRAMMED AT THE SAME TIME.
5. PRESS THE BACK KEY TO EXIT THE MODE.



1998 CHRYSLER TOWN  
& COUNTRY  
1998 DODGE  
CARAVAN  
1998 PLYMOUTH  
VOYAGER



1999-2000  
CHRYSLER TOWN &  
COUNTRY  
1999-2000  
DODGE CARAVAN  
1999-2000  
PLYMOUTH VOYAGER

#### PROGRAM REMOTE

PROCEDURE COMPLETE

PRESS ENTER KEY

# SPECIAL FUNCTIONS

## TYPE 10 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
 + **BMW**  
 + CHRYSLER  
 + CITROEN  
 + DAEWOO  
 + INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
 + **REMOTE**

#### VEHICLE SELECTION

TYPE 7  
 TYPE 8  
 TYPE 9  
 TYPE 10  
 TYPE 11

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

BREEZE/CIRRUS/STRATUS  
 REMOTES TYPE 10

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
 > **SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

PROGRAM REMOTE

#### PROGRAM REMOTE

DO YOU WANT TO  
 ERASE REMOTES

1 = YES      2 = NO

#### PROGRAMMING REMOTES

PRESS LOCK & UNLOCK  
 TOGETHER FOR 1 SEC  
 DO THIS TWICE  
 REPEAT FOR ALL FOBS  
**BACK TO EXIT**

#### NOTES :

1. PRESS LOCK & UNLOCK TOGETHER FOR 1 SECOND AND REPEAT AGAIN.
2. IF YOU CHOSE TO ERASE REMOTES YOU MUST GO BACK AND PROGRAM ANY EXISTING REMOTES AS WELL.
3. A CHIME IS HEARD WHEN YOU ENTER PROGRAMMING.
4. THE DOOR LOCKS WILL CYCLE WHEN A REMOTE IS PROGRAMMED.
5. EACH REMOTE MUST BE PROGRAMMED.
6. PRESS BACK TO EXIT.



1998-2000  
 CHRYSLER CIRRUS  
 1998-2000  
 DODGE STRATUS (4dr)  
 1998-2000  
 PLYMOUTH BREEZE

# SPECIAL FUNCTIONS

## TYPE 11 REMOTES

### PROGRAM REMOTE

#### VEHICLE SELECTION

+ ALFA  
 + **BMW**  
 + CHRYSLER  
 + CITROEN  
 + DAEWOO  
 + INFINITI

#### VEHICLE SELECTION

+ IMMOBILISER  
 + **REMOTE**

#### VEHICLE SELECTION

TYPE 10  
 TYPE 11  
 TYPE 12

#### SWITCH IGNITION ON

PRESS ENTER KEY

#### ECU IDENTIFICATION

JEEP CHEROKEE  
 REMOTES TYPE 2

PRESS ENTER KEY

#### DIAGNOSTIC MENU

ECU IDENTIFICATION  
 > **SPECIAL FUNCTIONS**

PRESS ENTER KEY

#### DIAGNOSTIC MENU

#### PROGRAM REMOTE

#### PROGRAMMING REMOTES

ENTER REMOTE NO

#### NOTES :

1. THERE ARE 4 MEMORY POSITIONS FOR THE TYPE 11 SYSTEM.
2. ENTER THE REQUIRED NUMBER.
3. THIS WILL OVERWRITE ANY REMOTE ALREADY STORED.
4. YOU CAN PROGRAM A REMOTE INTO ALL 4 POSITIONS TO ERASE ANY EXISTING REMOTES.

#### NOTES 2:

1. TO PROGRAM THE REMOTE PRESS THE UNLOCK BUTTON.
2. THE PROGRAMMING WINDOW IS VERY SHORT.
3. THE DOOR LOCKS WILL CYCLE



1998  
JEEP CHEROKEE



1999-2001  
JEEP CHEROKEE

#### PROGRAMMING REMOTES

PRESS UNLOCK BUTTON

# TIPS & HINTS



1. When selecting a system refer to the application guide, however, if you try "Type 1" and the tester fails to communicate, then switch adapters and try "Type 2".
2. Remember to use the same adapter as the System "Type" you are selecting with the tester.
3. The Immobiliser receiver does need reprogramming if replaced.
4. If you CLEAR keys - you will need to then program any keys you want to start the car, including the one in the ignition
5. When programming remotes, there is a time limit, so follow the procedure quickly.  
Each type of remotes has specific issues when programming. PLEASE SEE NOTES in appropriate remote section to ensure this is carried out correctly.

Programming Correct Transmitter Key for RS, CS and KJ

#### **OVERVIEW:**

This bulletin provides information regarding the use of correct part numbers when replacing Transmitter Key(s).

**NOTE: RS, CS and KJ vehicles use DIFFERENT internal electrical components from other remaining Daimler Chrysler vehicles, although identical in appearance.**

#### **MODELS:**

2006- 2007 (CS) Pacifica  
2006 - 2007 (RS) Caravan/Town and Country  
2006 - 2007 (KJ) Liberty

#### **DISCUSSION:**

#### **Programming Correct Transmitter Key(s)**

Special attention should be given to the correct part numbers on **ALL** DaimlerChrysler vehicles when ordering Transmitter Keys. Part numbers are different for RS, CS and KJ vehicles and are **NOT** interchangeable with other vehicles.

## PRECAUTIONS

**IMPORTANT : PLEASE ENSURE ALL PRECAUTIONS ARE OBSERVED AS INDICATED AT THE FRONT OF THE OPERATING MANUAL.**

**IN PARTICULAR :** For vehicles fitted with STOP/START technology, the battery leads must not be shorted together when the battery is disconnected as this can lead to damage to the car and potential personal injury.

# REMOTE PROGRAMMING

# F

## *96 Concorde, Intrepid, LHS, New Yorker, Vision Remote Programming*

1. Turn Ignition ON.
2. Connect a jump wire from Pin 1 of the Diagnostic Connector (Upper left pin is number 1). Connect to ground.
3. Doors will LOCK and then UNLOCK to verify program mode.
4. Press the button on the remote control, doors will LOCK and UNLOCK to verify programming is complete.
5. Repeat for additional transmitters.
6. Remove wire and turn ignition OFF.
7. Test all remote controls.

### *Programming this type of Remote control*




- (1) Open the driver's door and leave it open during the programming process.
- (2) Move the mechanical door lock lever on the driver's door to the LOCK position.
- (3) Insert the ignition key and turn it to the RUN position. (Do not start the vehicle.)
- (4) After turning the ignition key to the Run position aim the transmitter at the receiver and press the LOCK (right) button for 5 seconds. Once the receiver accepts the programming the door will unlock.
- (5) If additional transmitters are to be used on the vehicle each must be programmed during the programming sequence. (Up to 4 transmitters can be programmed to a vehicle) To program additional transmitters: Return the mechanical door lock lever on the driver's door to the LOCK position and aim the next transmitter at the receiver and press the LOCK (right) button for 5 seconds. Again when the receiver accepts the programming the door will unlock. Repeat step 5 until all transmitters have been programmed.
- (6) When all transmitters have been programmed to the receiver, the ignition must be turned off and back on within 20 seconds after programming the last transmitter. When this is done, only the transmitters that were programmed to the vehicle during this procedure will operate the locks.



## AD900Pro

Transponder Cloning

The most advanced key transponder cloning tool in the market - that reads, writes, copies, a wide range of automotive transponders world-wide. Complimenting the AD100Pro / MVPPro.



## AD600

Code Wizard Pro  
PINCODE Generator

AD600 is a software program that supports various vehicle manufacturers and provides the ability to generate immobiliser PINCODES, mechanical key codes including dealer tool security codes.



## AD35

Remote Control Tester

AD35 is an innovative remote control tester developed to assist with the diagnosis of all types of (IR) Infra Red & (RF) Radio Frequency remote controls for all makes & models.